

# SEPCO Cutters & Hooks

SEPCO has many options available for cutters and packing hooks. The cutters are available for square, braided backing (see below) and for flat packing (often called gaskets). The **guillotine packing cutter** below cuts all styles of braided packing (up to 1-inch diameter), including Kevlar<sup>®</sup>, copper sheath, and wire core.



## GUILLOTINE PACKING CUTTER FEATURES & BENEFITS

- Provides butt cuts or 45-degree angle cuts
- Circumference scales eliminate expensive time and material waste
- Delivered complete with mounting screws, wrenches, and stop blocks for 45-degree and butt cuts
- Verneir included for accurate shaft and stuffing box measurements

# Flat Packing Cutters

You often need to cut flat packing/gaskets. We can help. SEPCO offers six kits to cut many different inside diameters (ID) and outside diameters (OD).

- **Kit 1** cuts 1/4-inch ID to 12-inch OD
- **Kit 2** cuts 1/4-inch ID to 24-inch OD
- **Kit 3** cuts 1/4-inch ID to 36-inch OD
- **Kit 4** cuts 1/4-inch ID to 48-inch OD
- **Kit 5** cuts 1/4-inch ID to 60-inch OD
- **Kit 6** cuts 1/4-inch ID to 72-inch OD

## ALL KITS CONTAIN THE FOLLOWING:

- Cutter block and head assembly
- Gasket cutter blades
- Pivot post
- 2 knurled nuts
- Fiber washers
- 1/2-inch short center pin
- 3/4-inch center pin
- 18-inch cutting board (except Kit 6)
- Cutting knob for small diameters
- Post with offset pin
- Piercing tool
- Screwdriver

## KITS 2 THROUGH 5 ALSO INCLUDE:

- Pivot post for extensions
- Extra knurled nut for extensions
- Extra-long center pin
- Extension bar



# Packing Hooks

SEPCO Packing hooks (commonly also called pullers) are available with flexible and solid shafts of multiple lengths and sizes. Their rugged construction withstands harsh conditions and they have extended durability.

## SOLID SHAFTS

### Replacable Tips

- Style P-7: 1/8 inch x 10 inches
- Style P-8: 3/16 inch x 10 inches
- Style P-9: 5/16 inch x 10 inches

## FLEXIBLE SHAFTS

### Replacable Tips

- Style F-1: 7 1/2 inches
- Style F-2: 11 inches
- Style F3: 14 1/2 inches

### Nonremoveable Tips

- Style F-00: 6 1/2 inches
- Style F-4: 19 inches
- Style F-5: 23 inches
- Style F-6: 30 inches



## ALSO AVAILABLE

- O-ring extractors
- Brush tips
- Oakum puller
- Packing cutting knife with leather sheath

## CORKSCREW REPLACEMENT TIPS

C-1



C-2



C-3



## WOODSCREW REPLACEMENT TIPS

- W-1
- W-2
- W-3



The SEPCO quality system is certified to ISO 9001:2015. This information is based on data that we believe to be reliable. Since conditions of product use are outside of our control, we make no warranties, expressed or implied and assume no liability in connection with any use of this information.  
©SEPCO 2021  
V020521



**Sealing Equipment Products Co., Inc.**

123 Airpark Industrial Road • Alabaster, AL 35007

205-403-7500 • 800-633-4770

Fax: 205-403-7592 • 800-426-3533

info@sepco.com • www.sepco.com